

Calmness & Security

Warmth & Comfort

Harmony & Interaction



BEMBÉ PARKETT

Bembé is Europe's largest and oldest wood flooring company and has dedicated itself to wood since 1780!

For this reason, we can look back over our experience of several million square metres of parquet floor that we have installed in the past.

In Germany, more than 300 well trained and experienced floor specialized fitters lay more than one million square metres wood floor for 45 Bembé studios every year.

Our competence results from the fact that we are manufacturer and parquet layer at the same time.

We do not only take care of the installation of our parquet floors, we are also available to repair, refurbish properly clean and maintain your floor.

No matter whether solid or multilayer parquet, planks, lamella or marquetry parquet – there is hardly any planning specification we haven't implemented in the past years.

As an experienced service provider, we would like to fulfil all our customer's desires. For this reason, we can also offer you laminate, design floors and special floor renovations for elastic floorings.

Experience and know-how are a guarantee for consistent high quality.

- . Laying & renovating since 1780
- Europe's top parquet layer
- . 45 showrooms in Germany





Why Bembé 11 Reasons

01 Tradition.

Our company has existed since 1780 and has helped shape the parquet market of today.

02 Modernity.

If you understand the past, you can change the future. We understand the past and know what our customers want.

03 Experience.

We experienced every mistake. That is why we are able to react immediately if special requirements are demanded.

04 Customer proximity.

Our 45 branches in Germany allow for short distances and direct accessibility.

05 Craft.

Our parquet is normally installed by our own employees. 300 of our own parquet experts serve our customers every day.

06 Training.

We train the Bembé junior staff ourselves in the technical and commercial sector. Further training is our standard and part of the company philosophy.

07 Quality.

Apart from the DIN and EU standards, the manufacturing process of our products is also subject to our own strict rules

08 Certification.

FSC® and Real Wood®: sustainability is not a challenge to us – it goes without saying.

09 Service.

The customer comes first – even in case of maintenance or if there are any technical questions.

10 Maintenance.

We developed our own care products which you can easily buy in our online shop or in one of our 45 showrooms.

11 Guarantee.

We adhere to the quality of our work, even after the warranty period – For more than 235 years.



TYPES OF WOOD

- Oak
- Fumed Oak
- Steamed Oak
- Steamed Beech
- Black Walnut
- Hard Maple

WEAR LAYER 3.5 mm
THICKNESS 13.5 mm
WIDTH 180 mm
LENGTH 2.200 mm



	(at time of delivery)	the fibre, wood moisture approx. 10%)	per % wood moisture change)	≤ 0.11 m² K/W in case of 13.5 mm glue-down system, ≤ 0.15 m² K/W in case of 13.5 mm floating installation with impact sound insulation and vapour barrier for example "Duogard+") * = see the data sheet "Wood" and "Underfloor heating"
Oak	(7 ± 2) %	Approx. 34 N/mm²	Approx. 0.26%	✓
Fumed Oak	(7 ± 2) %	Approx. 34 N/mm²	Approx. 0.26%	✓
Steamed Beech	(7 ± 2) %	Approx. 34 N/mm²	Approx. 0.31%	✓
Steamed Oak	(7 ± 2) %	Approx. 34 N/mm²	Approx. 0.26%	✓
Black Walnut	(7 ± 2) %	Approx. 28 N/mm²	Approx. 0.23%	✓
Hard Maple	(7 ± 2) %	Approx. 34 N/mm²	Approx. 0.27%	✓

Shrinkage and swelling

(dimensional change in %

Underfloor heating *

(thermal resistance of

Brinell hardness

(wear layer vertical to

SUSTAINABLE ACTION –

to us it includes growing with sound judgment as well as paying attention to social and environmental aspects.


Equilibrium


moisture content

We use our resources sparingly and take our responsibility towards our employees, the environment and society serious.

Bembé Parkett is FSC® certified.











SURFACES

- lacquered
- structured, oiled (Oak Trend and Terra)


Glue-down system with 1 component glue or floating installation incl. 2.2 mm PE foam base (with integrated vapour barrier).

3-STRIP PLANK CALAIS

(thickness x width x length)


Plank: 13.5 x 180 x 2200 mm Wear layer: approx. 3.5 mm

- Three-Laver engineered planks
- without bevelled edges











The longterm durability of your floor is extended significantly by regular cleaning and care. The maintenance of the value is guaranteed.

A wide board of Bembé accessories, care and cleaning products is available

- in our 45 Bembé studios
- under 0049 (0) 79 31 96 65 15



DESIGN TOOL - CREATE YOUR OWN UNIQUE FLOOR

In our virtual showroom, you can have a look at different room situations. It is also possible to upload a photo and digitally install the Bembé floor in your own home.

This makes it possible to get an impression of how your new floor might look.











Bembé Parkett GmbH & Co. KG

Wolfgangstraße 15

97980 Bad Mergentheim, Germany

Tel: 0049 (0) 79 31 - 96 60 Fax: 0049 (0) 79 31 - 96 61 50

Web: www.bembe.de Mail: info@bembe.de Shop: shop.bembe.de



